



Georgi Dobrovolski Solar Observatory

NEW ZEALAND

E-MAIL: gdso@earthling.net

WEBSITE: www.freewebs.com/gdso

SUNSPOT RESULTS FOR FEBRUARY 2006

All observations carried out by HOWARD BARNES .

Telescope : 76 mm refractor (f.l. 910 mm) k considered as 1 .

Observed by PROJECTION .

Full disc diameter = 145 mm approx .

WN = Wolf Number ; SN = Pettisindex ; BX = Beckindex ; CV = Classification Value ;

QC = Quality Count ; QC² = Squared Quality Count .

Q = Quietness [ie. steadiness] refer to Kiepenheuer scale .

S = Sharpness [ie. clarity] refer to Kiepenheuer scale .

T = Transparency where 1 = excellent , 5 = worthless .

DATE	UT*	g	f	WN	p	s	SN	BX	CV	QC	QC ²	Q	S	T	Ref.
01															
02	1925	0	0	0	0	0	0	0	0	0	0	2.0	2.0	2.0	4632-9
03	1945	0	0	0	0	0	0	0	0	0	0	2.0	2.5	2.0	4633-9
04															
05	2010	0	0	0	0	0	0	0	0	0	0	1.5	2.0	2.0	4634-9
06	1950	0	0	0	0	0	0	0	0	0	0	1.0	2.0	2.0	4635-9
07	2105	1	1	11	0	1	1	4	1	1	1	1.5	2.0	2.0	4636-9
08	1940	2	2	22	2	0	20	74	20	4	8	1.0	2.5	2.5	4637-9
09															
10															
11	2000	0	0	0	0	0	0	0	0	0	0	1.5	2.5	2.0	4638-9
12															
13	1935	1	1	11	0	1	1	4	1	1	1	1.5	2.0	2.0	4639-9
14															
15	2100	2	3	23	2	1	21	40	26	5	17	1.5	2.0	2.5	4640-0
16															
17	2145	0	0	0	0	0	0	0	0	0	0	2.0	2.5	2.5	4641-0
18															
19															
20	2015	0	0	0	0	0	0	0	0	0	0	1.0	2.0	2.0	4642-0
21	2005	0	0	0	0	0	0	0	0	0	0	1.0	2.0	2.0	4643-0
22															
23	2015	0	0	0	0	0	0	0	0	0	0	1.5	2.0	2.0	4644-0
24															
25															
26															
27	2245	1	1	11	0	1	1	4	1	1	1	1.5	2.5	2.0	4645-0
28	2020	0	0	0	0	0	0	0	0	0	0	1.0	2.5	2.5	4646-0
29	—														
30	—														
31	—														
TOTALS	—	7	8	78	4	4	44	126	49	12	28	21.5	33.0	32.0	—
NOBS	—	15	15	15	15	15	15	15	15	15	15	15	15	15	—
MNS	—	0.47	0.53	5.20	0.27	0.27	2.93	8.40	3.27	0.80	1.87	1.43	2.20	2.13	—

MEAN WEIGHT = 0.5248

MEAN CONDITION = 1.9222

TRUNCATED WOLF NUMBER = 2.27

* Stated times approximate Co-ordinated Universal Time / Temps Universel Coordonné (UTC).

Georgi Dobrovolski Solar Observatory

SUNSPOT DISTRIBUTION & INTER-SOL INDICES FOR FEBRUARY 2006

All observations carried out by HOWARD BARNES .

Telescope : 76 mm refractor (f . l . 910 mm) .

Observed by PROJECTION . Full disc diameter = 145 mm approx .

IS = Inter-Sol Index .

gr = number of multi-spot groups .

grfp = number of umbræ within penumbræ within the groups (gr) .

grf = number of non-penumbral spots within the groups (gr) .

efp = number of single penumbral spots .

ef = number of single non-penumbral spots .

Q = Quietness [ie. steadiness] refer to Kiepenheuer scale .

S = Sharpness [ie. clarity] refer to Kiepenheuer scale .

T = Transparency where 1 = excellent , 5 = worthless .

DATE	UT	IS	gr	grfp	grf	efp	ef	Q	S	T	Ref.
01											
02	1925	0	0	0	0	0	0	2.0	2.0	2.0	4632-9
03	1945	0	0	0	0	0	0	2.0	2.5	2.0	4633-9
04											
05	2010	0	0	0	0	0	0	1.5	2.0	2.0	4634-9
06	1950	0	0	0	0	0	0	1.0	2.0	2.0	4635-9
07	2105	1	0	0	0	0	1	1.5	2.0	2.0	4636-9
08	1940	2	0	0	0	2	0	1.0	2.5	2.5	4637-9
09											
10											
11	2000	0	0	0	0	0	0	1.5	2.5	2.0	4638-9
12											
13	1935	1	0	0	0	0	1	1.5	2.0	2.0	4639-9
14											
15	2100	4	1	2	0	0	1	1.5	2.0	2.5	4640-0
16											
17	2145	0	0	0	0	0	0	2.0	2.5	2.5	4641-0
18											
19											
20	2015	0	0	0	0	0	0	1.0	2.0	2.0	4642-0
21	2005	0	0	0	0	0	0	1.0	2.0	2.0	4643-0
22											
23	2015	0	0	0	0	0	0	1.5	2.0	2.0	4644-0
24											
25											
26											
27	2245	1	0	0	0	0	1	1.5	2.5	2.0	4645-0
28	2020	0	0	0	0	0	0	1.0	2.5	2.5	4646-0
29	—										
30	—										
31	—										
TOTALS	—	9	1	2	0	2	4	21.5	33.0	32.0	—
NOBS	—	15	15	15	15	15	15	15	15	15	—
MNS	—	0.60	0.07	0.13	0.00	0.13	0.27	1.43	2.20	2.13	—

Georgi Dobrovolski Solar Observatory

SUNSPOT CENSUS BY CLASSIFICATION FOR FEBRUARY 2006

All observations carried out by HOWARD BARNES .
Telescope : 76 mm refractor (f . l . 910 mm) .
Observed by PROJECTION . Full disc diameter = 145 mm approx .
IF 2 OR MORE REGIONS ARE OF THE SAME CLASSIFICATION , THEN SUNSPOT COUNTS
ARE SEPARATED BY SOLIDI (/) .

DATE	UT	A		B		C		D		E		F		G		H		J	
		g	f	g	f	g	f	g	f	g	f	g	f	g	f	g	f	g	f
01																			
02	1925	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03	1945	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04																			
05	2010	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
06	1950	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
07	2105	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08	1940	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1/1
09																			
10																			
11	2000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12																			
13	1935	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14																			
15	2100	1	1	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0
16																			
17	2145	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18																			
19																			
20	2015	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21	2005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22																			
23	2015	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
24																			
25																			
26																			
27	2245	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28	2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29	—																		
30	—																		
31	—																		
TOTALS	—	4	4	0	0	0	0	1	2	0	0	0	0	0	0	0	0	2	2
REGIONAL PERCENTAGES																			
A	B	C	D	E	F	G	H	J	Σg										
57.1	0.0	0.0	14.3	0.0	0.0	0.0	0.0	28.6	7										
NOBS = 15		$\overline{p/g}$ mean = 0.4000				$\overline{f/g}$ mean = 1.1000													
		$\overline{p/g}$ mean = 0.5714				$\overline{f/g}$ mean = 1.1429													
GROUP COMPLEXITY INDEX (GCI) = 1.7143																			

Georgi Dobrovolski Solar Observatory

SMOOTHED RESULTS OF OBSERVED VALUES FOR THE LAST 12 MONTHS (OBTAINABLE) USING THE WALDMEIER & BARNES-13 METHODS.

DATA BELOW ARE PRELIMINARY. FINAL VALUES WILL BE PUBLISHED IN GDSO ANNUAL REPORTS.

WALDMEIER METHOD

MONTH	$g(S^W)$	$WN(S^W)$	$SN(S^W)$	$BX(S^W)$	$CV(S^W)$	$QC(S^W)$	$IS(S^W)$
2004 SEPTEMBER	3.15	51.44	61.95	464.3	64.60	9.98	22.12
OCTOBER	3.05	49.75	59.58	444.3	62.91	9.67	21.33
NOVEMBER	2.95	48.53	59.05	446.4	62.64	9.47	21.14
DECEMBER	2.87	48.18	60.36	456.1	63.75	9.40	21.60
2005 JANUARY	2.83	47.36	60.71	432.0	64.03	9.38	21.14
FEBRUARY	2.81	46.03	59.67	391.9	62.75	9.27	20.02
MARCH	2.79	45.29	58.30	376.6	61.02	9.13	19.49
APRIL	2.58	41.97	53.70	350.4	56.63	8.44	18.03
MAY	2.32	37.30	47.99	301.4	50.99	7.54	15.82
JUNE	2.33	36.69	47.03	279.9	49.91	7.44	15.11
JULY	2.37	36.83	47.22	274.0	49.81	7.48	14.78
AUGUST	2.22	34.42	44.96	256.9	46.61	7.03	13.74

BARNES-13 METHOD

MONTH	$g(S^{B13})$	$WN(S^{B13})$	$SN(S^{B13})$	$BX(S^{B13})$	$CV(S^{B13})$	$QC(S^{B13})$	$IS(S^{B13})$
2004 SEPTEMBER	3.21	53.53	65.96	508.9	67.87	10.34	23.68
OCTOBER	3.10	51.52	63.32	486.0	66.22	10.02	22.72
NOVEMBER	2.95	48.95	60.06	459.0	63.78	9.58	21.54
DECEMBER	2.80	46.43	57.15	426.5	61.36	9.13	20.38
2005 JANUARY	2.72	44.53	55.15	390.9	59.85	8.85	19.33
FEBRUARY	2.67	43.30	54.11	362.6	58.93	8.70	18.55
MARCH	2.64	42.71	53.98	349.1	58.26	8.62	18.23
APRIL	2.58	41.72	53.68	337.8	57.16	8.43	17.88
MAY	2.50	40.44	53.26	323.2	55.88	8.20	17.39
JUNE	2.48	39.88	53.22	312.6	55.11	8.12	17.01
JULY	2.44	38.85	52.00	298.9	53.16	7.92	16.25
AUGUST	2.32	36.39	48.69	276.3	49.17	7.42	14.92